

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/931,124	08/16/2001	Takahiko Kishi	678-724 (P9876)	3618	
7590 01/10/2006			EXAMINER		
Paul J. Farrell, Esq.			ZHENG, EVA Y		
DILWORTH & 333 Earle Oving	BARRESE, LLP	ART UNIT	PAPER NUMBER		
Uniondale, NY 11553			2634		
			DATE MAILED: 01/10/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Applica	tion No.	Applicant(s)	Applicant(s)		
Office Action Summary		09/931,	124	KISHI, TAKAHIKO			
		Examin	ər	Art Unit			
		Eva Yi Z		2634			
Period for	· The MAILING DATE of this communicati · Reply	on appears on ti	ne cover sheet wi	ith the correspondence ac	idress		
WHICI - Extens after S - If NO p - Failure Any re	PRTENED STATUTORY PERIOD FOR HEVER IS LONGER, FROM THE MAIL is ions of time may be available under the provisions of 3 to 10 t	NG DATE OF T CFR 1.136(a). In no e ttion. y period will apply and by statute, cause the ap	THIS COMMUNIO event, however, may a r will expire SIX (6) MON oplication to become AB	CATION. eply be timely filed ITHS from the mailing date of this c BANDONED (35 U.S.C. § 133).			
Status							
2a)☐ 3 3)☐ 3	Responsive to communication(s) filed or This action is <b>FINAL</b> . 2b) Since this application is in condition for a closed in accordance with the practice u	This action is allowance excep	non-final. ot for formal matt	•	e merits is		
Disposition	on of Claims						
5) ( 6) ( 7) ( 7	Claim(s) <u>1-19</u> is/are pending in the applica) Of the above claim(s) is/are work Claim(s) is/are allowed. Claim(s) <u>1-9 and 16-19</u> is/are rejected. Claim(s) <u>10-15</u> is/are objected to. Claim(s) are subject to restriction	ithdrawn from c					
Application	on Papers						
10)□ T	The specification is objected to by the Extine drawing(s) filed on is/are: a)[Applicant may not request that any objection Replacement drawing sheet(s) including the The oath or declaration is objected to by	accepted or to the drawing(s) correction is requ	be held in abeyar	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 C	, ,		
Priority u	nder 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.							
2) Notice 3) Inform	s) of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO-9 ation Disclosure Statement(s) (PTO-1449 or PTO: No(s)/Mail Date		Paper No(s	Summary (PTO-413) s)/Mail Date nformal Patent Application (PTC	D-152)		

Art Unit: 2634

#### **DETAILED ACTION**

### Request for Continued Examination

1. The request filed on October 31, 2005, for a Request for Continued Examination (RCE) under 37 CFR 1.114 based on parent Application No. 09/931,124 is acceptable and a RCE has been established. An action on the RCE follows.

### Claim Objections

2. Claim 5 is objected to because of the following informalities: the order of receiver components in claim 5 is unclear and awkward. It should be consistent with Fig. 2.

Appropriate correction is required.

- 3. Claim 14 is objected to because it is exactly same or a duplication of claim 13. Appropriate correction is required.
- Claim 15 is objected to because it is exactly same or a duplication of claim 12.
   Appropriate correction is required.
- 5. Claim 19 is objected to of the following informalities: on line 2, recitation: two decimation filter" should be changed to -- two decimation filters -.

Appropriate correction is required.

## Claim Rejections - 35 USC § 112

6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Art Unit: 2634

7. Claim 16 is rejected under 35 U.S.C. 112, second paragraph. Claim 16 recites the limitation "the digital signal" in line 5. There is insufficient antecedent basis for this limitation in the claim.

8. Claim 19 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding to claim 19, the functionality of a selector is unclear and confusing.

### Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. Claims 1, 5, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chalmers (US 5,375,146) in view of Lovinggood et al. (US 6,697,603).
- a) Regarding to claim 1, Chalmers disclose a digital down-converter for converting a frequency of a signal, received at a radio receiver and sampled with a radio frequency (RF) or an intermediate frequency (IF), to a detection frequency for a detection process, comprising:

a first mixer (106 in Fig. 1) for converting and outputting a frequency of the received signal to a frequency of a first IF signal by multiplying the signal by a real signal;

a decimation filter (inherent as IF filter 108 in Fig. 1) for suppressing unwanted components among the frequency of the first IF signal from the first mixer (Col 1, L49-51); and

a second mixer (112 in Fig. 1) for converting the frequency of the first IF signal having only wanted components outputted by the decimation filter to a second IF signal of the detection frequency, and outputting the second IF signal as a complex signal by multiplying the output of the decimation filter by a complex local signal (126 and output of 132,134 as shown in Fig. 1).

Chalmers disclose all the subject matters described above except for the specific teaching of a digital signal input for down converting. However, Lovinggood et al., in the same field of endeavor, teaches A/D converter (420) output to a digital down converter (as shown in Fig. 3). Moreover, Chalmers states that variation of different conversion stages is well known (Col 1, L48-50). Therefore, it is obvious to one of ordinary skill in art to apply the A/D converter of Lovinggood et al. before the digital frequency downconversion in Chalmers' system. By doing so, provide simpler digital down converter design and more desirable result.

# b) Regarding to claim 5, Chalmers disclose a receiver comprising:

a digital down-converter including a first mixer (106 in Fig. 1) for converting a frequency of the received signal, sampled with a radio frequency (RF) or an intermediate frequency (IF), to a frequency of a first IF signal by multiplying the signal by a real signal (120), and a second mixer (112 in Fig. 1) for converting the first IF signal converted by the first mixer to a second IF signal of the detection frequency for a

Application/Control Number: 09/931,124

Art Unit: 2634

detection process and then outputting the second IF signal as a complex signal by multiplying the first IF signal by a complex local signal (126 and output of 132,134 as shown in Fig. 1).

a radio receiver (as shown in fig. 1) for receiving an input signal and providing the received signal to the digital down-converter for frequency conversion;

A filter (102 in Fig.1) for attenuating an aliasing frequency component and an image frequency component of the first mixer in the digital down-converter, from an output of the radio receiver.

Chalmers disclose all the subject matters described above except for the specific teaching of a digital signal input for down converting and an analog-to-digital converter for sampling an output of the filter with a radio frequency or an intermediate frequency and providing the sampled signal to the digital down-converter. However, Lovinggood et al., in the same field of endeavor, teaches A/D converter (420) output to a digital down converter (as shown in Fig. 3). Moreover, Chalmers states that variation of different conversion stages is well known (Col 1, L48-50). Therefore, it is obvious to one of ordinary skill in art to apply the A/D converter of Lovinggood et al. before the digital frequency downconversion in Chalmers' system. By doing so, provide simpler digital down converter design and more desirable result.

c) Regarding to claim 16, Chalmers discloses a digital down-converter for converting a frequency of a signal, received at a radio receiver and sampled with a radio frequency (RF) or an intermediated frequency (1F), to a detection frequency for a detection process, comprising:

Art Unit: 2634

a first mixer (106 in Fig. 1) for converting and outputting a frequency of the received signal to frequency of a first IF signal by multiplying the signal by a real signal; and

a second mixer (112 in Fig. 1) for dividing the frequency of the first IF signal into a cosine part and a sine part (output of 132 and 134 in Fig. 1) and processing the cosine part and the since part with a polyphase structure (220 in Fig. 2) for converting and decoding to the frequency of a second IF signal by multiplying the first IF signal by a complex local signal (126 and output of 132,134 as shown in Fig. 1).

Chalmers disclose all the subject matters described above except for the specific teaching of a digital signal input for down converting. However, Lovinggood et al., in the same field of endeavor, teaches A/D converter (420) output to a digital down converter (as shown in Fig. 3). Moreover, Chalmers states that variation of different conversion stages is well known (Col 1, L48-50). Therefore, it is obvious to one of ordinary skill in art to apply the A/D converter of Lovinggood et al. before the digital frequency downconversion in Chalmers' system. By doing so, provide simpler digital down converter design and more desirable result.

11. Claims 2-4, 6-9, 17 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chalmers (US 5,375,146) in view of Lovinggood et al. (US 6,697,603), in further view of Ostman (US 6,061,385).

a) Regarding to claims 2, 6, and 17, Chalmers and Lovinggood et al. disclose all of the subject matter described above except for the specific teaching of a frequency of the first IF signal is ¼ a sampling frequency.

Ostman, in same field of endeavor, teaches a received frequency modulated signal as shown in Fig. 1, where the intermediated frequency is a quarter of the sampling frequency (Col 4, L28-36).

To avoid complexity and extreme power consumption of the circuitry a well known method is to select the intermediate frequency to be a quarter of the sampling frequency (Ostman, Col 4, L28-35). Therefore, it is obvious to one of ordinary skill in the art to implement quarter sampling method taught by Ostman in the frequency down conversion system by Chalmers. By doing so, provide simpler digital down converter design and more desirable result. Additionally, reduce power consumption, reduce cost, and simplify communication system design.

- b) Regarding to claims 3, 7, and 18, Chalmers discloses the digital down-converter as claimed in Claim 17, further comprising an automatic gain control (AGC) amplifier (110 in Fig. 1) for amplifying of the output of the first mixer and inputting the amplified output to the cosine part and the sine part of the second mixer.
- c) Regarding to claims 4 and 9, Chalmers discloses the digital down-converter, wherein the second mixer further comprises a multiplier for multiplying the output of the decimation filter by a certain ratio of a sampling frequency and a decoding means for decoding the multiplied signal through the multiplier (as shown in Fig. 1).

Art Unit: 2634

d) Regarding to claim 8, Lovinggood et al. disclose the receiver as claimed in claim 6, wherein the second mixer of the digital down-converter is constructed in a polyphase structure comprised of a decimation filter and a quadrature converter (500 in Fig. 3).

### Allowable Subject Matter

12. Claims 10-13 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eva Y Zheng whose telephone number is 571-272-3049. The examiner can normally be reached on M-F, 7:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on 571-272-3056. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Eva Yi Zheng Examiner Art Unit 2634

January 5, 2006

Art Unit: 2634

CHIEH M. FAN
SUPERVISORY PATENT EXAMINER